

# Essentials of Systems Analysis and Design Fifth Edition

Joseph S. Valacich

Joey F. George

Jeffrey A. Hoffer

## Chapter 1

# The Systems Development Environment

# Learning Objectives

- ✓ Define information systems analysis and design
- ✓ Discuss the modern approach to systems analysis and design that combines both process and data views of systems
- ✓ Describe the role of the systems analyst in information systems development

# Learning Objectives (continued)

- ✓ Describe the information systems development life cycle (SDLC)
- ✓ List alternatives to the systems development life cycle, including a description of the role of computer aided software engineering (CASE) tools in systems development

# Chapter Preview

Systems Analysis is a proven method to help a  
business utilize information to its fullest capacity  
Systems Development Life Cycle (SDLC)  
Central to Information Systems Development



# What is Information Systems Analysis and Design?

A method used by companies to **create** and **maintain** systems that perform basic business functions

Main goal is to improve employee efficiency by  
applying software solutions to key business tasks

A structured approach must be used in order to  
ensure success

\*The 1st subphase in the design is to create the architecture  
\*The last subphase is the writing the algorithms for the system.

# What is Information Systems Analysis and Design? (continued)

Systems Analysts perform analysis and design based upon:


- 1- **Understanding** of organization's objectives, structure and processes <sup>①</sup>
- 2- **Knowledge** of how to exploit information technology for advantage <sup>②</sup>

Fig 1-1 illustrates the Systems Development Life Cycle, a four-phased approach used throughout this text

\* Every phase has an input + output.

\* The output of the current phase is the input for the next phase.

feasibility study. Then select the optimal selection.



# Systems Analysis and Design: Core Concepts

Major goal: to **improve** organizational systems by  
① developing or ② acquiring application software  
③ and training employees in its use

Application software, or a system, supports  
organizational functions or processes

# Systems Analysis and Design: Core Concepts (continued)

**System:** Turns data into information and includes:

Hardware and system software

Documentation and training materials


Job roles associated with the system

Controls to prevent theft or fraud

The people who use the software to perform their jobs

Figure 1.2 illustrates all the components of a system

**Figure 1.2** Components of a Computer-Based Information System Application



# Software Engineering Process

A process used to create an information system

Consists of:

## Methodologies

A sequence of step-by-step approaches that help develop the information system


## Techniques

Processes that the analyst follows to ensure thorough, complete, and comprehensive analysis and design

## Tools

Computer programs that aid in applying techniques

**Figure 1.3** The software engineering process uses methodologies, techniques, and tools.





# System

A **system** is an interrelated set of business procedures used within one business unit working together for a purpose

A system has nine characteristics

A system exists within an environment

A boundary separates a system from its environment

# Characteristics of a System

Components *⇒ depends on size and complexity of a system*

Interrelated Components

Boundary

Purpose

Environment


Interfaces

Constraints

Input

Output

**Figure 1.4** Seven Characteristics of a System



# Important System Concepts


## Decomposition

cohesion and coupling.  
↓ high ↓ low  
loosely coupled, highly cohesive.

The process of breaking down a system into smaller components, but make sure the relationship as less as possible.

Allows the systems analyst to:

- Break a system into small, manageable and understandable subsystems
- Focus on one area at a time, without interference from other areas
- Concentrate on component pertinent to one group of users without confusing users with unnecessary details
- Build different components at independent times and have the help of different analysts



**FIGURE 1-6**

An MP3 player is a system with power supply, storage and control subsystems.

Sources: Shutterstock; ©Harald van Arkel/Chipmunk International;

# Important System Concepts (continued)

## Modularity

Process of dividing a system into modules of a relatively uniform size

Modules simplify system design

## Coupling

Subsystems that are dependent upon each other are coupled

**Cohesion** ⇒ The relationship b/w components inside a Component.

Extent to which a subsystem performs a single function

# A Modern Approach to Systems Analysis and Design

## ← Systems Integration

Allows hardware and software from different vendors to work together

← Enables procedural language systems to work with visual programming systems

← Visual programming environment uses client/server model

# Your Role in Systems Development

Study problems and needs of an organization

Determine best approach to improving organization  
through use of:

People

Methods

Information technology

Help system users and managers define their  
requirements for new or enhanced information  
systems



# Developing Information Systems and the Systems Development Life Cycle

## Systems Development Methodology

A standard process followed in an organization to  
conduct all the steps necessary to

analyze ✓

design ✓

implement ✓

and maintain information systems. ✓

# Developing Information Systems and the Systems Development Life Cycle (continued)

## Systems Development Life Cycle

Series of steps used to manage the phases of development for an information system

Consists of four phases:

Planning and Selection 1

Analysis 2

Design 3

Implementation and Operation 4

↳ testing and maintenance.

# Developing Information Systems and the Systems Development Life Cycle (continued)

Phases are not necessarily sequential

Each phase has a specific outcome and deliverable

Every company customizes the life-cycle model to its individual needs

# Phases of the Systems Development Life Cycle

## 1. Systems Planning and Selection

### Two Main Activities

Identification of need

Investigation and determination of scope

## 2. Systems Analysis

### Study of current procedures and information systems

Determine requirements

Generate alternative designs

Compare alternatives

Recommend best alternative

# Phases of the Systems Development Life Cycle (continued)

## 3. System Design

Logical Design ⇒ *Diagrams are built.*

Concentrates on business aspects of the system

Physical Design

*built it on the devices* ⇒ Technical specifications ⇒ *fully detailed.*

## 4. System Implementation and Operation

Implementation

Hardware and software installation

Programming ⇒ *writing the code.*

User Training

Documentation ⇒ *Must be up to date.*

# Phases of the Systems Development Life Cycle (continued)

## System Implementation and Operation (continued)

System changed to reflect changing conditions

System obsolescence

النظام يصل الى مرحلة  
تأجيل التحديث.

the system can't be updated any more -  
- Legacy System

# Alternative Approaches to Development

## Prototyping

Building a scaled-down working version of the system

### Advantages:

Users are involved in design  $\Rightarrow$  when the customer tries the prototyped system.

Captures requirements in concrete form

$\Rightarrow$  No mis-understanding involved.

# Alternative Approaches to Development (continued)

## Computer-Assisted Software Engineering (CASE)

### Tools

Automated software tools used by systems analysts  
to develop information systems

Can be used throughout SDLC

Product and tool integration is provided through a  
repository



# Alternative Approaches to Development (continued)

\* Examples of Tools :-

## General types of CASE tools

Diagramming tools

Computer display and report generators

Analysis tools

Repository

Documentation generators

Code generators

# Alternative Approaches to Development (continued)

## Joint Application Design (JAD)

Users, Managers and Analysts work together for several days

System requirements are reviewed


Structured meetings

## Rapid Application Development (RAD)

Utilizes prototyping to delay producing system design until after user requirements are clear

**FIGURE 1-13**

RAD systems development life cycle compared to standard SDLC.



# Approaches to Development (continued)

## Participatory Design (PD)

Emphasizes role of the user ⇒ structured meeting.

Entire user community can be involved in design

## Agile Methodologies

Focuses on

Adaptive methodologies ⇒ تعديل حسب طلب العميل.

People instead of roles

Self-adaptive development process

# Summary

Information systems analysis and design

Process of developing and maintaining an information system

Modern approach to systems analysis

Process-oriented

Data-oriented

# Summary (continued)

## Role of Systems Analyst

### Systems Development Life Cycle (SDLC)

- › Systems Planning and Selection
- › Systems Analysis
- › Systems Design
- › Systems Implementation

# Summary (continued)

## Alternatives to Systems Development Life Cycle

Prototyping


Rapid Application Development (RAD)

CASE

Joint Application Design (JAD)

Participatory Design (PD)

Agile Methodologies



All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher. Printed in the United States of America.



**Essentials of  
Systems Analysis and Design  
Fifth Edition  
Joseph S. Valacich  
Joey F. George  
Jeffrey A. Hoffer**

**Chapter 2  
The Sources of Software**

# Learning Objectives

Understand outsourcing

Describe six different sources of software

Discuss how to evaluate off-the-shelf software

Discuss reuse and its role in software development

# Sources of Software

- Information technology service firms
- Packaged software providers
- Vendors of enterprise solutions software (ERP)
- Cloud computing providers
- Open-source software solutions
- Build it yourself

# Outsourcing

- Practice of turning over some or all responsibility for information systems applications and operations to another firm.

مواثيق يكون كاعمال، يمكن يكون جزئية.

- Examples:

- Outsourcing firm develops and runs applications on their computers (Payroll application)
- Outsourcing firm runs applications at your site on your computers.

- Why would an organization do this?

- **Reasons to outsource**

- Cost effective
- Not a core competency of many businesses → قدرات الموظفين لا تؤهلهم.
- Overcome organizational problems in information systems unit

- **Needs to be considered during systems analysis**

# Information Technology Service Firms

مبنى تاجاً للـ firms

- **Utilize when**
  - Organization lacks resources to develop in-house
  - Suitable off-the-shelf solution is not available
- Develop custom information systems
- Develop, host and run applications
- Can provide domain expertise ⇒ لشخص كبير بالجال الذي تريدة.
- IT Service firms employ consultants with domain-specific experience
- See Table 2-1 for a list of top 10 firms

# Packaged Software Producers

= off the shelf  
⇒

- Produce pre-packed or off the shelf systems
  - MS Project, Intuit QuickBooks,
- Products range from broad-based packages (MS Office) to industry specific packages (AP/AR)
  - تستخدم أكبر قدر من الناس .
- Off-the-shelf software can meet up to 70% of an organization's needs.
  - موجهة للشريحة مديدة من الناس
- **Two types of software**
  - Turnkey – not modified, one size fits all
  - Non-turnkey – modified by vendor to meet great portion of user needs → When there is a feedback from the customers.

# Enterprise Solutions Software

- Enterprise Resource Planning (ERP) Systems
- Consist of a series of integrated modules
  - Accounting
  - Distribution
  - Manufacturing
  - Human Resources

*\* Combines different types of systems eg: accounting, production, etc into one whole system*
- Integrated to focus on business processes rather than business functional areas

*يتركز على العمليات التجارية بدلاً من المجالات الوظيفية*

  - Enables an organization to integrate all parts of a business process in a unified information system
  - E.g. - All aspects of an order transaction occur seamlessly in single information system

# Enterprise Solutions Software

## – Benefits

- Single repository for all aspects of a business process
  - Ensures more consistent and accurate data
  - Less maintenance
- Flexibility of modules
  - Additional modules can be added as needed
  - Immediately integrated into existing system

## – Disadvantages

- Complexity and time of implementation ⇒ لا نه حجه كبير ، اذا بدو وقت اكثر
- Reliance upon consultants
- Often, organizations must change the way that they do business in order to use systems

## – ERP vendors

- SAP AG, Oracle Corp



# Cloud Computing

الدفع مقابل الخدمة

- **Pay for use** (software as a service): dynamically rent software from third party providers (runs on remote servers = the cloud)
- **Pay for service**: Applications bought, installed and maintained by service provider
- **Pay for platform** (hardware as a service): dynamically rent platform and manage your own virtual data centre
- Applications accessed through the Internet (VPN)
- Users pay per-use or month-to-month license
- Some examples:
  - Google Apps
  - Salesforce.com
  - Amazon cloud

# Cloud Computing

- Predicted that by 2013, 12% of world's computing will be done by cloud computing (source: Merrill Lynch)  
Total market of \$160 billion
- **Benefits:**
  - Freeing internal IT staff ✓
  - Faster access to applications than internal development ✓
  - Lower-cost access to corporate-quality applications ✓
- **Concerns**
  - Reliability ✓
  - Security of information ✓
  - Compliance with government regulations ✓

# Open-Source Software

- › Freely available
- › Includes source-code
- › Maintained by a group of interested individuals
- › Some examples
  - Linux
  - Firefox
  - MySQL

# In-House Development

## In-House Development

- › Complete system
- › Hybrid systems
  - › Off the shelf PLUS custom code

# Choosing Off-the-Shelf Software

## Criteria

- › Cost / Benefit - In-house versus purchase
- › Functionality  $\Rightarrow$  All the functions i want in the system are available.
- › Vendor Support  $\Rightarrow$  maintenance of the system after purchase.
- › Viability of Vendor  $\Rightarrow$  reputation of the vendor, or even does the vendor exist.
- › Flexibility  $\Rightarrow$  not expensive maintenance, able to work with the systems in the organization.
- › Documentation  $\Rightarrow$
- › Response Time  $\Rightarrow$  The total time of the transactions
- › Ease of Installation

Quiz on Thursday.

# Validating Purchased Software Information

Information from vendor →

معلومات من المزود .

- › Documentation
- › Marketing literature → لمحة المزود في انتاج الأنظمة .
- › Questionnaire → تسأل الأسئلة .

Request for Proposal (RFP) →

طلب كد من مزود من اجل إقتراح الكيصال .

Software Test drive → Test cases already written to test the system.

Feedback from other users

Independent software testing services

استأجار ناس مهيئة من اجل عمل اختبار للنظام .

# Reuse

Use of previously written software resources in new applications

Most often applied to object-oriented and component-based development

Reuse of object classes -

- › Increases productivity
- › Reduces defect density
- › Reduces rework

Advantages.

لنقل من كتابة الكود إلى الكود.

Reuse plan must be matched with companies strategic business goals

\* Important @

Explain one of the approaches:-

# Reuse

## Four Approaches

1. Ad hoc Reuse ⇒ The developers decided to reuse, the industry didn't force him.
2. Facilitated Reuse ⇒ The organization encourage the developer to make reusable system.
3. Managed Reuse ⇒
4. Designed Reuse ⇒

المصنعة عن البداية تستخرج الـ reusability.



# Essentials of Systems Analysis and Design Fifth Edition

Joseph S. Valacich  
Joey F. George  
Jeffrey A. Hoffer

## Chapter 3 Managing the Information Systems Project

Copyright © 2012 Pearson Education, Inc. Publishing as Prentice Hall

# Learning Objectives

- 
- Discuss skills required to be an effective project manager
  - Describe skills and activities of a project manager during project initiation, planning, execution and closedown
  - Discuss critical path scheduling
  - Explain Gantt Charts and Network Diagrams
  - Review commercial project management software packages

# Pine Valley Furniture

## Manufacturing Company

Product: Wood Furniture

Market: United States

Organized into functional areas

Manufacturing


Sales

Three independent computer systems were converted to a database in 1990s

**FIGURE 3-2**

Three computer applications at Pine Valley Furniture: order filling, invoicing, and payroll.

Source: Hoffer, Ramesh, and Topi, 2011.



# Managing the Information Systems Project

## Focus of Project Management

- ✓ To assure that information system projects meet customer expectations
- ✓ Delivered in a timely manner
- ✓ Meet constraints and requirements

Goal

# Managing the Information Systems Project (continued)

## Project Manager

Systems Analyst responsible for

Project initiation ✓

Planning ✓

Execution ✓

Closing down ✓

Requires diverse set of skills

Management → Resource Management.

Leadership ✓

Technical ✓

Conflict management ✓

Customer relations ✓

↳ Feedback from the customers.  
=



Image  
not

Available.

\* check from PC.

# Project Management Process

## Project

Planned undertaking of related activities to reach an objective that has a beginning and an end

## Four Phases

- Initiating
- Planning
- Executing
- Closing down



# Initiating the Project

\* There is still no requirements from the customer.

\* order is important

- 1 Establish the project initiation team → team members.
- 2 Establish a relationship with the customer
- 3 Establish the project initiation plan → when to start, plan, time, project scope.
- 4 Establish management procedures → assign jobs / roles to the team members and team members communication
- 5 Establish the project management environment and workbook → file / website page available for the customers and developers. like main points, funds, team members etc.
- 6 Develop the project charter

tools to use while developing the project



↳ like a contract. High level document.

No technical details. Duration time. Contacts, title of the project, description of the objectives of the project, stake holders.

Scope:

description about the project.

Question: design a project charter

# Planning the Project

## 1. Describe project scope, alternatives and feasibility

→ And Feasibility study of the chosen alternative  
↳ alternative solutions

### Scope and Feasibility

Understand the project

What problem is to be addressed → why developing this project?

What results are to be achieved

Measures of success ✓ (الأسباب التي حققناها)

Completion criteria ✓

## 2. Divide the project into manageable tasks

Work breakdown structure

Gantt chart

(سلسلة التنفيذ)  
ليست ملوية

# Planning the Project (continued)

- 3- Estimate resources and create a resource plan.  
*→ People, hardware, software -*
- 4- Develop a preliminary schedule *→ for the tasks*  
Utilize Gantt Charts and Network Diagrams
- 5. Develop a communication plan
  - › Outline communication processes among customers, team members and management
  - › Define types of reports and their distribution
  - › Determine frequency of reports

Table 3-2:  
Not available

# Planning the Project (continued)

أهم يتوافقوا مع بعض

International standards  
National standard  
Organization standard  
Project standard.

أبداً يغير  
↑

## 6. Determine project standards and procedures

- › Specify how deliverables are tested and produced

## 7. Identify and assess risk → what kinds of risks we will face?

- › Identify sources of risk - Risks will be predicted.  
eg:- one of the developers got sick.
- › Estimate consequences of risk

## 8. Create a preliminary budget



eg:- cost estimation.

تحديد الميزانية للمشروع.

- make assessment of the risks i.e how to fix this risk.

→ Prioritize of risk. The risk which is catastrophic will be fixed first.

# Planning the Project

(continued) (Output of the Planning phase.)

## 9. Develop a project scope statement

- › Describe what the project will deliver

## 10. Set a baseline project plan

- › Estimate of project's tasks and resources

3rd Phase

# Executing the Project

start the development of the Project.

## 1. Execute baseline project plan

- › Acquire and assign resources
- › Train new team members
- › Keep project on schedule

## 2. Monitor project progress

- › Adjust resources, budget, and/or activities

# Executing the Project (continued)

## 3. Manage changes to baseline project plan

- › Slipped completion dates → Delay in delivering the project
- › Bungled activity that must be redone
- › Changes in personnel
- › New activities

## 4. Maintain project workbook

→ must be up to date.

## 5. Communicate project status



4th Phase.

# Closing Down the Project

## 1. Termination

### › Types of termination:

- Natural
  - Requirements have been met

- Unnatural

- Project stopped

### › Documentation

### › Personnel Appraisal

↳ Evaluation of developers.

- 1) We put an assumption that is false.  
2) Running out of time / money.  
3) The requirements are not adequate.

Question in exam:  
Importance

# Closing Down the Project (continued)

## 2. Conduct post-project reviews

- › Determine strengths and weaknesses of
  - Project deliverables
  - Project management process
  - Development process

## 3. Close customer contract

Quiz on Thursday. Till this slide

# Representing and Scheduling Project Plans

## Gantt Charts

Useful for depicting simple projects or parts of large projects

Show start and completion dates for individual tasks

## Network Diagrams →

Show order of activities

- Gantt chart لا يستطيع التعامل مع complex system
- simple system لا يستطيع التعامل مع

- activities لا يستطيع التعامل مع

Image not available

# Comparison of Gantt Charts and Network Diagrams

## Gantt Charts

- Visually show duration of tasks
- Visually show time overlap between tasks
- Visually show slack time



critical path: الوقت الذي لا يمكن التأخير بشأنه  
tasks أو المبرمج .

ال slack هو الوقت إذا تأخرت شيء خارج  
يأثر على critical path .

## Network Diagrams

Visually show dependencies between tasks  
Visually show which tasks can be done in parallel  
Show slack time by data in rectangles

There may be more than critical path in Gantt chart.

In some cases, all the paths may be critical

# Representing Project Plans

Network diagramming is a critical path scheduling technique

Used when tasks

- 1 Are well-defined and have a clear beginning and end point
- 2 Can be worked on independently of other tasks → No dependency b/w tasks.
- 3 Are ordered
- 4 Serve the purpose of the project

Major strength is ability to show how completion times vary by activity

# Gantt Chart and Network Diagram for Pine Valley Furniture

## Steps

1. Identify each activity
  - Requirements collection  $T_1$
  - Screen design  $T_2$
  - Report design  $T_3$
  - Database construction  $T_4$
  - User documentation creation  $T_5$
  - Software programming  $T_6$
  - Installation and testing  $T_7$

\* Determination of time depends on the experience of the System Analyst that is the project manager.

# Gantt Chart and Network Diagram for Pine Valley Furniture (continued)

## 2. Determine time estimates and expected completion times for each activity

| ACTIVITY                   | TIME ESTIMATE<br>(in weeks) |          |          | EXPECTED TIME (ET)     |
|----------------------------|-----------------------------|----------|----------|------------------------|
|                            | <i>o</i>                    | <i>r</i> | <i>p</i> | $\frac{o + 4r + p}{6}$ |
| 1. Requirements Collection | 1                           | 5        | 9        | 5                      |
| 2. Screen Design           | 5                           | 6        | 7        | 6                      |
| 3. Report Design           | 3                           | 6        | 9        | 6                      |
| 4. Database Design         | 1                           | 2        | 3        | 2                      |
| 5. User Documentation      | 3                           | 6        | 7        | 5.67                   |
| 6. Programming             | 4                           | 5        | 6        | 5                      |
| 7. Testing                 | 1                           | 3        | 5        | 3                      |
| 8. Installation            | 1                           | 1        | 1        | 1                      |

**FIGURE 3-23**  
Estimated Time Calculations  
for the SPTS Project

الوقت المثالي  
optimistic

الوضع الحقيقي  
realistic

الأسوأ حالات  
pessimistic

According to this equation.

From experience



# Gantt Chart and Network Diagram for Pine Valley Furniture (continued)

## › Determine sequence of activities

Preceding activity:  
↓

يعني عايزي task لازم ننتهئها قبل هذه ال task .

determined by the project manager.

Preceding activities بقدر الاسم ال Gantt chart.

البات التي مش كايها critical ممكن يكون كذا slack .

# Gantt Chart and Network Diagram for Pine Valley Furniture (continued)

- › Determine the critical path  
Sequence of events that will affect the final project delivery date

| early start |               | early finish |
|-------------|---------------|--------------|
| ES          | Activity Name | EF           |
| LS          | Duration      | LF           |

$ES \rightarrow \text{first activity} = 0$

$EF = ES + \text{duration}$

$LF \rightarrow \text{last activity} = EF$

$LS = LF - \text{duration}$

— On Tuesday Quiz only on Gantt chart —

# Commercial Project

## Management Software

Many systems are available

Three activities are required:

Establish project start or end date

Enter tasks and assign task relationships

Select scheduling method to review project reports


\* When forward take the largest..

\* When backward take the smallest

\* When  $ES$  and  $EF = LS$  and  $LF$ , it is on the critical path.

\* in blue = critical path.

\*  $Slack = LF - EF$   
 $= LS - ES$



# Summary



Skills of An Effective Project Manager  
Activities of Project Manager

Initiation


Planning

Execution

Close down

Gantt Charts and Network Diagrams

Commercial PM Software



All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher. Printed in the United States of America.

# Essentials of Systems Analysis and Design Fifth Edition

Joseph S. Valacich  
Joey F. George  
Jeffrey A. Hoffer

## Chapter 4 Systems Planning and Selection

Copyright © 2012 Pearson Education, Inc. Publishing as Prentice Hall

# Learning Objectives

Describe the steps involved when identifying and selecting projects and initiating and planning projects

Discuss the content of and need for a project scope statement and baseline project plan

Describe various methods for assessing project feasibility

1- Ranking of potential projects.

U

Q

Steps for choosing the project:

- 1- identifying and selecting projects
2. classify and rank project development.
- 3- selecting the project.

# Learning Objectives (continued)

Explain intangible and tangible costs and benefits

Explain recurring and one-time costs

Describe various methods of cost/benefit analysis

Describe a structured walkthrough



# Identifying and Selecting Projects

→ may be taken or not.

## Sources of Projects → 3 sources of potential projects

- › Managers and business units  
to gain more information or provide new services
- › Managers  
to make a system more efficient, less costly, or want a new operating environment
- › Formal planning groups  
to improve an existing system in order to help the organization meet its corporate objectives

# Identifying and Selecting Projects (continued)

## 1. Projects are identified by

- Top management → Strategic organizational focus = *نقدية إستراتيجية*

Steering committee

User departments ⇒ Narrow tactical focus.

Development group or senior IS staff

*نقدية إستراتيجية. عرصة إستراتيجية*

Cross-functional focus.

# Identifying and Selecting Projects (continued)

## Top-Down identification

Senior management or steering committee

Focus is on global needs of organization

## Bottom-up identification

Business unit or IS group


Don't reflect overall goals of the organization

# Identifying and Selecting Projects (continued)

2. Classify and rank development projects
3. Select development projects

Factors:

- Perceived needs of the organization
- Existing systems and ongoing projects
- Resource availability
- Evaluation criteria
- Current business conditions
- Perspectives of the decision makers



**FIGURE 4-3**

Numerous factors must be considered when selecting a project. Decisions can result in one of seven outcomes.


# Identifying and Selecting Projects (continued)

## Deliverables and Outcomes

Primary deliverable of this phase is a schedule of specific IS development projects

Incremental commitment

Continuous reassessment of project after each phase



**FIGURE 4-4**

Information systems development projects come from both top-down and bottom-up initiatives.

# Initiating and Planning System Development Projects

## Objectives

- Baseline Project Plan (BPP)
  - ↳ Internal document → For the developers inside the organization, Not for the client
- Project Scope Statement
  - ↳ Prepared for external and internal stakeholders
  - ↳ Provides a high-level overview of the project
    - ↓
    - No technical details.



# Assessing Project Feasibility

## Six Categories

Economic → the most important category - Do a cost benefit analysis.

Operational →

Technical →

Schedule

Legal and contractual →

Political

# Assessing Economic Feasibility

- **Cost-Benefit Analysis** → calculate the cost and the benefit.

- **Determine Benefits** → tangible  
→ intangible.

Tangible benefits →

Can be measured easily

Examples

Cost reduction and avoidance → تقليل التكاليف. مثل: تقليل عدد الموظفين.

Error reduction → كما قلت الأخطاء، زادت الفائدة.

Increased flexibility

Increased speed of activity →

Increased management planning and control

زيادة التخطيط والمراقبة الإدارية

استدراق فكري للفائدة.

# Assessing Economic Feasibility (continued)

## Intangible Benefits

- Cannot be measured easily

### Examples

Increased organizational flexibility

Increased employee morale → مكنويات الموظفين

Competitive necessity → التنافسية

More timely information → توفير المعلومات المناسبة في الوقت المناسب

Promotion of organizational learning and understanding



الرفع والتكليم المستمر

**FIGURE 4-7**  
**Tangible Benefits Worksheet**  
**for the Customer Tracking**  
**System at Pine Valley**  
**Furniture**

| TANGIBLE BENEFITS WORKSHEET<br><i>Customer Tracking System Project</i> |                  |
|------------------------------------------------------------------------|------------------|
|                                                                        | Year 1 through 5 |
| A. Cost reduction or avoidance                                         | \$ 4,500         |
| B. Error reduction                                                     | 2,500            |
| C. Increased flexibility                                               | 7,500            |
| D. Increased speed of activity                                         | 10,500           |
| E. Improvement in management<br>planning or control                    | 25,000           |
| F. Other _____                                                         | 0                |
| <b>TOTAL Tangible Benefits</b>                                         | <b>\$50,000</b>  |

# Assessing Economic Feasibility (continued)

## Determine Costs

- Tangible Costs  
Can easily be measured in dollars  
Example: Hardware
- Intangible costs  
Cannot be easily measured in dollars  
Examples:  
Loss of customer goodwill  
Loss of employee morale

# Assessing Economic Feasibility (continued)

## One-Time Costs →

يتم دفعه مرة واحدة.

Associated with project start-up, initiation and development

### Includes

- System development
- New hardware and software purchases
- User training
- Site preparation
- Data or system conversion



# Assessing Economic Feasibility (continued)

feasibility study is part of baseline project Plan.

## → Recurring Costs

→ Associated with on-going use of the system

Includes:

- Application software maintenance →
- Incremental data storage expense
- Incremental communications
- New software and hardware releases
- Consumable supplies

## → Time value of money (TVM)

The process of comparing present cash outlays to future expected returns

القيمة التي تم تدفيعها ، كم القيمة الحاضر بالمستقبل .

**FIGURE 4-10**  
**Worksheet Reflecting the**  
**Present Value Calculations**  
**of All Benefits and Costs for**  
**the Customer Tracking**  
**System at Pine Valley**  
**Furniture**

This worksheet indicates that benefits from the project over five years exceed its costs by \$35,003.

PVF -- CTSP.XLS [Compatibility Mode] - Microsoft Excel

|                                                                                                           | Year of Project |            |            |             |             |             |                    |
|-----------------------------------------------------------------------------------------------------------|-----------------|------------|------------|-------------|-------------|-------------|--------------------|
|                                                                                                           | Year 0          | Year 1     | Year 2     | Year 3      | Year 4      | Year 5      | TOTALS             |
| <b>Pine Valley Furniture</b>                                                                              |                 |            |            |             |             |             |                    |
| <b>Economic Feasibility Analysis</b>                                                                      |                 |            |            |             |             |             |                    |
| <b>Customer Tracking System Project</b>                                                                   |                 |            |            |             |             |             |                    |
| Net economic benefit                                                                                      | \$0             | \$50,000   | \$50,000   | \$50,000    | \$50,000    | \$50,000    |                    |
| Discount Rate (12%)                                                                                       | 1.0000          | 0.8929     | 0.7972     | 0.7118      | 0.6355      | 0.5674      |                    |
| PV of Benefits                                                                                            | \$0             | \$44,643   | \$39,860   | \$35,589    | \$31,776    | \$28,371    |                    |
| NPV of all BENEFITS                                                                                       | \$0             | \$44,643   | \$84,503   | \$120,092   | \$151,867   | \$180,239   | <b>\$180,239</b>   |
| One-time COSTS                                                                                            | (\$42,500)      |            |            |             |             |             |                    |
| Recurring Costs                                                                                           | \$0             | (\$28,500) | (\$28,500) | (\$28,500)  | (\$28,500)  | (\$28,500)  |                    |
| Discount Rate (12%)                                                                                       | 1.0000          | 0.8929     | 0.7972     | 0.7118      | 0.6355      | 0.5674      |                    |
| PV of Recurring Costs                                                                                     | \$0             | (\$25,446) | (\$22,720) | (\$20,286)  | (\$18,112)  | (\$16,172)  |                    |
| NPV of All COSTS                                                                                          | (\$42,500)      | (\$67,946) | (\$90,666) | (\$110,952) | (\$129,064) | (\$145,236) | <b>(\$145,236)</b> |
| Overall NPV                                                                                               |                 |            |            |             |             |             | <b>\$35,003</b>    |
| Overall ROI - (Overall NPV / NPV of All COSTS)                                                            |                 |            |            |             |             |             | <b>0.24</b>        |
| <b>Break-Even Analysis</b>                                                                                |                 |            |            |             |             |             |                    |
| Yearly NPV Cash Flow                                                                                      | (\$42,500)      | \$19,196   | \$17,140   | \$15,303    | \$13,664    | \$12,200    |                    |
| Overall NPV Cash Flow                                                                                     | (\$42,500)      | (\$23,304) | (\$6,164)  | \$9,139     | \$22,803    | \$35,003    |                    |
| Project break-even occurs between years 2 and 3                                                           |                 |            |            |             |             |             |                    |
| Use first year of positive cash flow to calculate break-even fraction - $((15303 - 9139) / 15303) = .403$ |                 |            |            |             |             |             |                    |
| <b>Actual break-even occurred at 2.4 years</b>                                                            |                 |            |            |             |             |             |                    |
| Note: All dollar values have been rounded to the nearest dollar.                                          |                 |            |            |             |             |             |                    |



# Assessing Other Feasibility Concerns

## Operational Feasibility ⇒ *قدرة الـ proposed project على البقاء داخل المؤسسة.*

Assessment of how a proposed system solves business problems or takes advantage of opportunities

## Technical Feasibility

Assessment of the development organization's ability to construct a proposed system

*مدى قدرة الموظفين على بناء هذا النظام.*

# Assessing Other Feasibility Concerns (continued)

## Schedule Feasibility

Assessment of time-frame and project completion dates with respect to organization constraints for affecting change

## Legal and Contractual Feasibility

Assessment of legal and contractual ramifications of new system

- قانونية بناء هذا النظام ..

# Assessing Other Feasibility Concerns (continued)

## Political Feasibility

Assessment of key stakeholders' view in organization toward proposed system

وجهة نظر المؤسسين / متخذي القرار في بناء هذا النظام.

# Building the Baseline Project Plan

Output:

- baseline project plan
- project scope assessment

## Objectives

- Assures that customer and development group have a complete understanding of the proposed system and requirements
- Provides sponsoring organization with a clear idea of scope, benefits and duration of project
- Project scope is part of project baseline plan. But it is for the customer.

# Building the Baseline Project Plan (continued)

## Four Sections of a Baseline Project Plan:

Introduction ✓

System description ✓

Feasibility assessment ✓ → (part of project baseline plan).

Management issues ✓

# Building the Baseline Project Plan (continued)

## Introduction (short)

- Brief overview → . document لا يغطي الـ
- Recommended course of action → The activities we will work on.
- Project scope defined → Part of baseline specifically Introduction. → Important Question in quiz.
- Units affected → The department may be affected in the organization.
- Interaction with other systems
- Range of system capabilities → قدرات النظام.

Characteristics of introduction-

- short
- prepared for customer
- High level
- Good communication tool b/w customer and developer.

# Building the Baseline Project Plan (continued)

## System Description

- Outline of possible alternative solutions
- Narrative format →

## Feasibility Assessment (section 3)

Project costs and benefits  
Technical difficulties  
High-level project schedule

# Building the Baseline Project Plan (continued)

## Management Issues

- ✓ Outlines concerns that management may have about the project
- ✓ Team composition →
- ✓ Communication plan →
- ✓ Project standards and procedures

اسماء الفريق التي استندوا

كيف طبيعة التعامل

لازم لدينا قوانين كتابان يصفان كيفية الفريق التي ينبغي ان system



Image not available

very important (must revise)

# Reviewing the Baseline Project Plan

## Objectives

كذلك نضمن انه المشروع تم ببناءه ضمن المعايير.

- Assure conformity to organizational standards
- All parties agree to continue with project



# Reviewing the Baseline Project Plan (continued)

## Walkthrough

— Peer group review ⇒ مراجعة الأقران يمكن أن تكون مع مجموعة.

Very important.

Q:-

بمشاركة و هذا الشخص  
وانت حدد مين هو؟؟

## Participants

Coordinator ⇒ The leader of the project.

Presenter ⇒ one of the author of the baseline project plan.

User ⇒ The customer.

Secretary ⇒ One of system analysis who takes notes.

Standard Bearer ⇒ Makes sure the system is according to the organizations standards.

Maintenance Oracle ⇒ The one who makes the maintenance.

## Activities

Walkthrough review form

Individuals polled

Walkthrough action list

## Advantages

Assures that review occurs during project



Image not available

Image not available

# Electronic Commerce Application

- Development process for Internet projects is no different than other projects
- Special issues need to be taken into account
  - ↳ like security.

# Electronic Commerce Application (continued)

## Internet

Worldwide network comprised of individual networks used for global computing and electronic commerce

## Intranet

Internet-based communication to support business activities within a single organization

## Extranet

Internet-based communication to support business-to-business activities

# Electronic Commerce Application (continued)

## Electronic Data Interchange (EDI)

The use of telecommunications technologies to transfer business documents directly between organizations

## Internet vs. Intranet/Extranet Apps

Intranet/Extranet: Developer knows how application will be run and used

Internet: Developer faces various unknowns

*Till this chapter, the mid exam*



# Summary

## Project Identification and Selection involves:

- Identifying potential projects

- Classifying and ranking of projects

- Selecting projects

## Baseline Project Plan (BPP)

- Created during project initiation and planning

# Summary (continued)

Contains:

- Introduction

- High-level description of system

- Outline of feasibility

- Overview of management issues

## Project Scope Statement

- Describes what project will deliver

# Summary (continued)

## Feasibility

Economic

Operational

Technical

Schedule

Legal

Contractual

Political

# Summary (continued)

## Benefits

Tangible vs. Intangible

## Costs

Tangible vs. Intangible


One-time vs. Recurring

## Internet Applications

Internet

Intranet

Extranet



All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher. Printed in the United States of America.

# Essentials of Systems Analysis and Design Fifth Edition

Joseph S. Valacich  
Joey F. George  
Jeffrey A. Hoffer

## Chapter 5 Determining System Requirements

Copyright © 2012 Pearson Education, Inc. Publishing as Prentice Hall

# Learning Objectives

- ✓ Describe options for designing and conducting interviews
- ✓ Discuss planning an interview to determine system requirements
- ✓ Explain advantages and disadvantages of observing workers and analyzing business documents to determine requirements

# Learning Objectives (continued)

- ✓ Learn about Joint Application Design (JAD) and Prototyping
- ✓ Discuss appropriate methods to elicit system requests
- ✓ Explain Business Process Reengineering (BPR)
- ✓ Examine requirements determination for Internet applications



# Performing Requirements Determination

Gather information on what system should do  
from many sources

المصادر التي يقدمها العميل المتطلبات، requirements

Users → the client

Reports →

Forms → النماذج

Procedures

العمليات التي تتم داخل المؤسسة

\*The system Analysis must use all these sources  
to gather information/requirements.

# Performing Requirements Determination (continued)

## Characteristics for Gathering Requirements

**Impertinence** →

Question everything

**Impartiality** →

Find the best organizational solution

**Relaxation of constraints** →

Assume anything is possible and eliminate the infeasible

**Attention to detail** →

Every fact must fit with every other fact →

**Reframing** →

View the organization in new ways

• كل نموذج انظمة، ما تحاول تلخيص الـ requirements .

# Deliverables and Outcomes

## Types of Deliverables:

→ Outcomes.

- Information collected from users → المعلومات التي جمعناها من المستخدمين.
- Existing documents and files → Reports / Forms.
- Computer-based information → The old version of the system.
- Understanding of organizational components → نفهم المؤسسة كيف تتعامل  
Business objectives → The system must be compatible with the business objectives. +  
Information needs components.  
Rules of data processing →  
Key events →  
الهم !! Functions !! system كمان نذكرهم اولوية.



# Traditional Methods for Determining Requirements

- 1) Interviews with individuals. → لازم يعرف جليدة القابلة والوقت .
- 2) Observations of workers → ما يتكون العملية متواترة ، لازم نقيم المشغلين  
اللي بيدي احوال observations .
- 3) Business Documents.
  - ↳ Any documents that is related with the system, we will collect the inf. from it.

# Traditional Methods for Determining Requirements (continued)

## Interviewing and Listening

- Gather facts, opinions, and speculations →
- Observe body language and emotions

الكلمات .

### - Guidelines

↳ Plan the interview

↳ Checklist

↳ Appointment

Be neutral →

المحايدة، ما تكون الأسئلة صريحة .

Listen and take notes →

السماع أكثر من الكلام .

Seek a diverse view

↳ Different points of views .

# Traditional Methods for Determining Requirements (continued)

## Interviewing (Continued)

### → Interview Questions

#### • Open-Ended

↳ No pre-specified answers

↳ Used to probe for unanticipated answers →

و جدت لتحصیل! جابات غیر مقررہ

#### → Close-Ended

- Respondent is asked to choose from a set of specified responses
- Work well when the popular answers to questions are known
- Do not require a long period of time, and can cover a greater number of topics

### Advantages of open-ended:-

- Different points of view.
- Because using words that the user is familiar with I can get all the info I want.

### Disadvantages

- It takes long time for the interview.
- Long time in taking notes.

Table 5-3 : Not available.



| Interview Outline                                                                                                                                                                                                                                   |                                                                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| Interviewee:<br><i>Name of person being interviewed</i>                                                                                                                                                                                             | Interviewer:<br><i>Name of person leading interview</i>                                                                               |
| Location/Medium:<br><i>Office, conference room, or phone number</i>                                                                                                                                                                                 | Appointment Date:<br>Start Time:<br>End Time:                                                                                         |
| Objectives:<br><i>What data to collect</i><br><i>On what to gain agreement</i><br><i>What areas to explore</i>                                                                                                                                      | Reminders:<br><i>Background/experience of interviewee</i><br><i>Known opinions of interviewee</i>                                     |
| Agenda:<br>Introduction<br>Background on Project<br>Overview of Interview<br>Topics to Be Covered<br>Permission to Tape Record<br>Topic 1 Questions<br>Topic 2 Questions<br>...<br>Summary of Major Points<br>Questions from Interviewee<br>Closing | Approximate Time:<br>1 minute<br>2 minutes<br><br>1 minute<br><br>5 minutes<br>7 minutes<br>...<br>2 minutes<br>5 minutes<br>1 minute |
| General Observations:<br><i>Interviewee seemed busy—probably need to call in a few days for follow-up questions because he gave only short answers. PC was turned off—probably not a regular PC user.</i>                                           |                                                                                                                                       |
| Unresolved Issues, Topics Not Covered:<br><i>He needs to look up sales figures from 1998. He raised the issue of how to handle returned goods, but we did not have time to discuss.</i>                                                             |                                                                                                                                       |

**FIGURE 5-2**  
**A Typical Interview Guide**

*(continues on next page)*



# Traditional Methods for Determining Requirements (continued)

## Directly Observing Users

→ The interviewee must know that he is being observed.

- Serves as a good method to supplement interviews
- Often difficult to obtain unbiased data
- People often work differently when being observed

# Analyzing Procedures and Other Documents

Disadvantage.

In business documents there is no follow up.

## Types of Information to Be Discovered:

- Problems with existing system
- Opportunity to meet new need
- Organizational direction
- Title and names of key individuals → To make interview with that person.
- Values of organization → Assets.
- Special information processing circumstances → ex. discount for loyal clients.
- Rules for processing data

Advantage:

No defined time for the document

Types of Document:

- Report
- Form
- Description



# Modern Methods for Determining Requirements

This type of Questions is Scenario-

## Joint Application Design (JAD) ⇒ This method is structured.

- Brings together key users, managers, and systems analysts ⇒ interviewing them altogether.
- Purpose: collect system requirements simultaneously from key people
- Conducted off-site ⇒ It is held outside the organization.

## Prototyping

\* And it is intense ⇒ takes a long time. From 4 hours to 1 week.

- Repetitive process
- Rudimentary version of system is built
- Replaces or augments SDLC ⇒ Disadvantages.
- Goal: to develop concrete specifications for ultimate system

# Joint Application Design (JAD)

## Participants

Session leader ⇒ System Analysts, but he/she does not participate in discussion.

Users ⇒

Managers ⇒ Head of the department, but not the CEO.

Sponsor ⇒ The CEO. Attend the intro or outro.

Systems analysts

Scribe ⇒ System Analyst who takes notes only.

IS staff ⇒ Programmers, testers, Maintainers, etc.

# Joint Application Design (JAD) (continued)

## End Result

### Documentation detailing

- Existing system = All the requirements in the current system.
- Features of a replacement system =





# Prototyping

↳ Create version of the system from the written requirements.

- User quickly converts requirements to working version of system
- Once the user sees requirements converted to system, will ask for modifications or will generate additional requests

# Prototyping (continued)

Most useful when:

- User requests are not clear = Not well understood or unclear.
- Few users are involved in the system
- Designs are complex and require concrete form to evaluate fully
- History of communication problems between analysts and users
- Tools are readily available to build prototype

# Prototyping (continued)

## Drawbacks

- Tendency to avoid formal documentation
  - Difficult to adapt to more general user audience
  - Sharing data with other systems is often not considered
  - Systems Development Life Cycle (SDLC) checks are often bypassed
- New users can't be added to the old group of users.

# Business Process Reengineering (BPR)

Search for and implementation of radical change in business processes to achieve breakthrough improvements in products and services

## Goals

- Reorganize complete flow of data in major sections of an organization
- Eliminate unnecessary steps
- Combine steps
- Become more responsive to future change

لدى البحث عن و تغيير جذري في العمليات التجارية لتحسين المنتجات والخدمات.

# Business Process Reengineering (BPR) (continued)

## Identification of processes to reengineer

### Key business processes

Set of activities designed to produce specific output for a particular customer or market

Focused on customers and outcome

Same techniques are used as were used for requirements determination

# Business Process Reengineering (BPR) (continued)

Identify specific activities that can be improved through BPR

## Disruptive Technologies

Technologies that enable the breaking of long-held business rules that inhibit organizations from making radical business changes

See Table 5-5





# Summary

## Interviews

Open-ended and close-ended questions

Preparation is key

Other means of gathering requirements are:

Observing workers

Analyzing business documents


# Summary (continued)

Joint Application Design (JAD)

Prototyping

Business Process Reengineering (BPR)

Disruptive technologies



All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher. Printed in the United States of America.

# Essentials of Systems Analysis and Design Fifth Edition

Joseph S. Valacich  
Joey F. George  
Jeffrey A. Hoffer

## Chapter 6 Structuring System Requirements: Process Modeling

Copyright © 2012 Pearson Education, Inc. Publishing as Prentice Hall

# Learning Objectives

Explain process modeling

Discuss data-flow diagramming mechanics, definitions, and rules

Discuss balancing data-flow diagrams

Discuss the use of data-flow diagrams as analysis tools

Examine decision tables used to represent process logic

# Process Modeling

The importance of DFD:-  
• Used to increase SW development Productivity.

ex: 1) register a course.  
2) Drop course, etc.


Graphically represents the **processes** that capture, manipulate, store, and distribute data between a system and its environment and among system components

## Data-flow Diagrams (DFD) ①

Graphically illustrate movement of data between external entities and the processes and data stores within a system

input + output. Person / DB ②

Any external system that deals with our system is system environment.



# Process Modeling (continued)

## Modeling a System's Process

- Utilize information gathered during requirements determination  
الاستخدام المعلومات التي جمعناها خلال تحديد المتطلبات.
- Structure of the data is also modeled in addition to the processes  
+ تصميم هيكلية المعلومات + العمليات

## Deliverables and Outcomes

Set of coherent, interrelated data-flow diagrams

\* There are levels of data-flow diagram. In every new level we add details from the previous levels. The new level cannot violate the previous level.

+ مثل لا يمكن أن تنتهك من المرحلة السابقة.

# Process Modeling (continued)

## Deliverables and Outcomes (continued)


- Context data-flow diagram (DFD) → 1st Diagram in Data-Flow Diagram.
- Scope of system → General description of systems.
- DFDs of current system
- Enable analysts to understand current system
- DFDs of new logical system
- Technology independent
- Show data flows, structure and functional requirements of new system

الاسم هو اسم الـ processes يكون اسم النظام.

- اول نسخة عن الـ DFD

- يعني النظام يكون عبارة عن كيان واحدة.  
و يكون اسمها اسم النظام.

كشأن نزيد عن قلم النظام بنستخدم الـ DFD.





# Process Modeling (continued)

## Deliverables and Outcomes (continued)

Project dictionary and CASE repository *every item in the DFD and description about them.*


## Data-flow Diagramming Mechanics

Four symbols are used

See Figure 6-2

Developed by Gane and Sarson

*↳ symbols*



The name of the Data flow must start with noun, not noun phrase. Not a Verb.

**FIGURE 6-2**

Gane and Sarson identified four symbols to use in data-flow diagrams to represent the flow of data: data-flow symbol, data-store symbol, process symbol, and source/sink symbol. We use the Gane and Sarson symbols in this book.

⇒ start with a verb.

\* أي شيء يتفاعل مع النظام يسمى كيان خارجي - external entity

\* When external entity gives input for the system it is called source.

\* When the system gives output it is called sink.

# Data-Flow Diagramming Mechanics

## Data Flow

- Depicts data that are in motion and moving as a unit from one place to another in the system
- Drawn as an arrow
- Select a meaningful name to represent the data

— ما يصير الاسم الـ DF يكون فعل (verb).  
— لازم نستخدم اللفظ الحقيقي.



# Data-Flow Diagramming Mechanics (continued)

## Data Store

- Depicts data at rest ⇒
- May represent data in
  - File folder
  - Computer-based file
  - Notebook
- Drawn as a rectangle with the right vertical line missing
- Label includes name of the store as well as the number

مكان لتخزين البيانات

1) كل DS لازم يكون كنده الاسم.

2) كل DS لازم نكتب فيه رقم.

\* الـ DS هو جزء من السيستم. \*

# Data-Flow Diagramming Mechanics (continued)

## Process

- Depicts work or actions performed on data so that they are transformed, stored, or distributed
- Drawn as a rectangle with rounded corners
- Number of process as well as names are recorded

← كل عملية بتأخذ رقم واسم .

transformed:- the output is for another input.

stored,

distributed.

# Data-Flow Diagramming Mechanics (continued)

## Source/Sink

- Depicts the origin and/or destination of the data
- Sometimes referred to as an external entity = Source.
- Drawn as a square symbol
- Name states what the external agent is
- Because they are external, many characteristics are not of interest to us

external

- في التبادلات كثير ما يكوننا مكان لفيلك هي


The image is very important.

Must check it out.

Q: Where is the violation in this diagram. 25.

You must understand the DFD.

→ Source = external entity.




- An Incorrect Diagram showing a process as a Source / Sink.

التي هي من انه عايم source يتطلب sink والعكس.



A DFD showing a proper  
Use of a process.



# Data-Flow Diagramming Definitions



⇒ This is not a Data flow Diagram.

## Context Diagram

A data-flow diagram of the scope of an organizational system that shows the system boundaries, external entities that interact with the system and the major information flows between the entities and the system.


General diagram, no details.

عملية ال Transaction المعام الرئيسية.

## Level-0 Diagram

A data-flow diagram that represents a system's major processes, data flows, and data stores at a higher level.

كانه منفتح النظام و يتشوف المعام الرئيسية.



# Developing DFDs: An Example

Hoosier Burger's Automated Food Ordering  
System

Context Diagram (Figure 6-4) contains no data  
stores

external entity may be a source and sink at the same time.

Context diagram represent the system which mean it name is the system delination. Not a verb.

Context diagram represent the scope.


Question on the final: Draw a context diagram.

Important!  
Must watch the videos to understand.

\*The external entities must remain the same. It shouldn't increase when moving to the next level.

# Developing DFDs: An Example (continued)

Next step is to expand the context diagram to show the breakdown of processes (Figure 6-5)



**FIGURE 6-5**  
Four Separate Processes  
of the Hoosier Burger  
Food-Ordering System

# Data-Flow Diagramming Rules

## Basic rules that apply to all DFDs:

- Inputs to a process are always different than outputs
- Objects always have a unique name

In order to keep the diagram uncluttered, you can repeat data stores and data flows on a diagram

خ. یو ډېر تنافع .  
← ما بهیر ال input یمن output بنفیس ال شم .

# Data-Flow Diagramming Rules (continued)

*These rules are important*

## Process

- › No process can have only outputs (a miracle)
- › No process can have only inputs (black hole)
- › A process has a verb phrase label

→ There must be input and output

## Data Store

- › Data cannot be moved from one store to another
- › Data cannot move from an outside source to a data store
- › Data cannot move directly from a data store to a data sink
- › Data store has a noun phrase label

→ external entity cannot access the data store

## Source/Sink

- H. Data cannot move directly from a source to a sink
- I. A source/sink has a noun phrase label



# Data-Flow Diagramming Rules (continued)

either 

## Data Flow

- › A data flow has only one direction of flow between symbols
- › A fork means that exactly the same data go from a common location to two or more processes, data stores, or sources/sinks → 2 different outputs not accepted
- › A join means that exactly the same data come from any two or more different processes, data stores or sources/sinks to a common location → Like the fork but for the output.
- › A data flow cannot go directly back to the same process it leaves → *یہی ال process کا input و output ایک ہی ہے*
- › A data flow to a data store means update
- › A data flow from a data store means retrieve or use
- › A data flow has a noun phrase label

# Decomposition of DFDs

## Functional Decomposition

Act of going from one single system to many component processes

Repetitive procedure

Lowest level is called a primitive DFD

*↳ every process given one function. Cannot be decomposed any more. → Imp 7*

## Level-n Diagrams

A DFD that is the result of  $n$  nested decompositions of a series of subprocesses from a process on a level-0 diagram

*Q. Draw the primitive data flow diagram → on finals.*

# Balancing DFDs

When decomposing a DFD, you must conserve  
inputs to and outputs from a process at the next  
level of decomposition

This is called balancing

## Example: Hoosier Burgers

In Figure 6-4, notice that there is one input to the system; the  
customer order

Three outputs:

Customer receipt

Food order

Management reports

نقل ال Processes الى ختموها بال level الحالي، لازم انقلوها  
بال level اللي بعده

ترتيب ال levels :-

1) Context level

2) level - 0

3) level 1

and so on

# Balancing DFDs (continued)

## Example (Continued)

Notice Figure 6-5. We have the same inputs and outputs

No new inputs or outputs have been introduced

We can say that the context diagram and level-0 DFD are balanced

# Balancing DFDs


## An Unbalanced Example

Q: Given a diagram How many  
violation in this diagram.


(Violation in the rules)

Q. Given a diagram Is this balanced. and how  
can we balance it

- > In context diagram, we have one input to the system, A and one output, B
- > Level-0 diagram has one additional data flow, C
- > These DFDs are not balanced




\* This DFD  
are not balanced



# Balancing DFDs

We can split a data flow into separate data flows on a lower level diagram



# Balancing DFDs

## Four Additional Advanced Rules

lowest level = primitive level.



# Guidelines for Drawing DFDs

- **Completeness**

DFD must include all components necessary for the system

Each component must be fully described in the project dictionary or CASE repository

- **Consistency**

The extent to which information contained on one level of a set of nested DFDs is also included on other levels

# Guidelines for Drawing DFDs (continued)

- **Timing**

Time is not represented well on DFDs

Best to draw DFDs as if the system has never started and will never stop

- **Iterative Development**

Analyst should expect to redraw diagram several times before reaching the closest approximation to the system being modeled

# Guidelines for Drawing DFDs (continued)

- **Primitive DFDs**

Lowest logical level of decomposition

Decision has to be made when to stop  
decomposition

# Guidelines for Drawing DFDs (continued)

## Rules for stopping decomposition:

When each process has been reduced to a single decision, calculation or database operation

When each data store represents data about a single entity

When the system user does not care to see any more detail

# Guidelines for Drawing DFDs (continued)

## Rules for stopping decomposition: (continued)

- When every data flow does not need to be split further to show that data are handled in various ways
- When you believe that you have shown each business form or transaction, online display and report as a single data flow
- When you believe that there is a separate process for each choice on all lowest-level menu options

# Using DFDs as Analysis Tools

## Gap Analysis

The process of discovering discrepancies between two or more sets of data-flow diagrams or discrepancies within a single DFD.


Inefficiencies in a system can often be identified through DFDs

نأخذ 2 DFD ونشوف إذا في تناقضات أو لا.

- افصل مكان نشمعوها إذا في مشاكل بالسيستم

هو الـ DFD -

# Using DFDs in Business Process Reengineering



**FIGURE 6-12**

**IBM Credit Corporation's  
Primary Work Process  
Before Business Process  
Reengineering**

Source: Michael Hammer and  
James Champy, *Reengineering the  
Corporation*. Copyright © 1993  
by Michael Hammer and James  
Champy. Used by permission of  
HarperCollins Publishers.

Example: IBM  
Credit  
Credit approval  
process is required  
six days before  
Business Process  
Reengineering (see  
Fig 6-12)

# Using DFDs in Business Process Reengineering (continued)

After Business Reprocess Engineering, IBM was able to process 100 times the number of transactions in the same amount of time



# Logic Modeling

- Data-flow diagrams do not show the logic inside the processes
- Logic modeling involves representing internal structure and functionality of processes depicted on a DFD
- Utilizes Decision Tables

↳ internal structure.

— کتابان نزدیک من فقط ال DFD، لازم نکل logic modeling.

# Modeling Logic with Decision Tables

مصفوفة تبين جميع القرارات التي يمكن أني اتخذها.

- A matrix representation of the logic of a decision
- Specifies the possible conditions and the resulting actions
- Best used for complicated decision logic

# Modeling Logic with Decision Tables (continued)

Consists of three parts:

**Condition stubs** ➔

الشروط

Lists condition relevant to decision

**Action stubs** ➔

الفعل

Actions that result for a given set of conditions

**Rules** ➔ القوانين

Specify which actions are to be followed for a given set of conditions

# Modeling Logic with Decision Tables (continued)

## Indifferent Condition ⇒

يكون في - different rules لكن لا action واحد

Condition whose value does not affect which action is taken for two or more rules

## Standard procedure for creating decision tables:

Name the conditions and values each condition can assume

Name all possible actions that can occur

List all possible rules

Define the actions for each rule (See Figure 6-16)

Simplify the decision table (See Figure 6-17)

**FIGURE 6-16**  
**Complete Decision Table for**  
**Hoosier Burger's Inventory**  
**Reordering System**

| Conditions/<br>Courses of Action | Rules |   |   |   |   |   |   |   |   |    |    |    |
|----------------------------------|-------|---|---|---|---|---|---|---|---|----|----|----|
|                                  | 1     | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Type of item                     | P     | N | P | N | P | N | P | N | P | N  | P  | N  |
| Time of week                     | D     | D | W | W | D | D | W | W | D | D  | W  | W  |
| Season of year                   | A     | A | A | A | S | S | S | S | H | H  | H  | H  |
| Standing daily order             | X     |   |   |   | X |   |   |   | X |    |    |    |
| Standing weekend order           |       |   | X |   |   |   | X |   |   |    | X  |    |
| Minimum order quantity           |       | X |   | X |   | X |   | X |   | X  |    | X  |
| Holiday reduction                |       |   |   |   |   |   |   |   | X |    | X  |    |
| Summer reduction                 |       |   |   |   | X |   | X |   |   |    |    |    |

Action

different conditions = combine together

Type of item:  
P = perishable  
N = nonperishable

Time of week:  
D = weekday  
W = weekend

Season of year:  
A = academic year  
S = summer  
H = holiday

قابل للكسر  
← غير قابل للكسر

Q: Given the decision table, simplify it.

# Process Modeling for Electronic Commerce Application

Process modeling for electronic commerce projects is no different than other projects  
See Pine Valley Furniture example; Table 6-4

**TABLE 6-4: System Structure of the WebStore and Corresponding Level-0 Processes**

| <b>WebStore System</b> | <b>Processes</b>                         |
|------------------------|------------------------------------------|
| Main page              | Information display (minor/no processes) |
| Product line (Catalog) | 1.0 Browse Catalog                       |
| • Desks                | 2.0 Select Item for Purchase             |
| • Chairs               |                                          |
| • Tables               |                                          |
| • File cabinets        |                                          |
| Shopping cart          | 3.0 Display Shopping Cart                |
| Checkout               | 4.0 Check-Out Process Order              |
| Account profile        | 5.0 Add/Modify Account Profile           |
| Order status/history   | 6.0 Order Status Request                 |
| Customer comments      | Information display (minor/no processes) |
| Company information    |                                          |
| Feedback               |                                          |
| Contact information    |                                          |



# Summary

## Data-flow Diagrams (DFD)

- Symbols

- Rules for creating

- Decomposition

- Balancing


## DFDs for Analysis

## DFDs for Business Process Reengineering (BPR)

## Logic Modeling

- Decision Tables

## Process Modeling for the Internet



All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher. Printed in the United States of America.

# **Essentials of Systems Analysis and Design Third Edition**

**Joseph S. Valacich  
Joey F. George  
Jeffrey A. Hoffer**

## **Chapter 8 Designing the Human Interface**

# Learning Objectives




Explain the process of designing forms and reports and the deliverables for their creation.

Apply the general guidelines for formatting forms and reports.

Learn how to effectively format text, tables, and lists.

Explain the process of designing interfaces and dialogues and the deliverables for their creation.



# Learning Objectives (continued)


Discuss the general guidelines for interface design including:

- Layout and design

- Structuring data-entry fields

- Providing feedback

- System help






# Learning Objectives (continued)

Discuss the design of human-computer dialogues and the use of dialogue diagramming.

Explain interface design guidelines unique to the design of Internet-based electronic commerce systems.




# Designing Forms and Reports

System inputs and outputs are produced at the end of the analysis phase  $\Rightarrow$  Start of design phase.

n Precise appearance was not defined during this phase. Design input and outputs were not detailed.

Forms and reports are integrally related to DFD and E-R diagrams

$\Rightarrow$  Without ER diagram we can make a report.  
↓  
+ Flow diagram.



# Designing Forms and Reports

## Key Concepts

\*Best to use predefined data.

### Form


- n A business document that contains some predefined data and may include some areas where additional data are to be filled in
- n An instance of a form is typically based on one database record

. one record

البيانات التي بالفوam تشكّل

### Report ⇒ Retrieve from the DB.

- n A business document that contains only predefined data
- n A passive document for reading or viewing data
- n Typically contains data from many database records or transactions





# The Process of Designing Forms and Reports




→ User Focused Activity →

نہ کم کی اہمیت ہے .

→ Follows a Prototyping Approach

→ Requirements Determination:


- n Who will use the form or report?
- n What is the purpose of the form or report?
- n When is the report needed or used?
- n Where does the form or report need to be delivered and used?
- n How many people need to use or view the form or report?



# The Process of Designing Forms and Reports (continued)

**Prototyping** *⇒ Depends on the requirements.*

- ✱* Initial prototype is designed from requirements
- ✱* Users review prototype design and either accept the design or request changes
- ✱* If changes are requested, the construction-evaluation-request cycle is repeated until the design is accepted



# Deliverables and Outcome

The output of Design is called design specification report/document.

Design specifications are major deliverables and contain three sections


## 1- Narrative overview

Provides a general overview of the characteristics of the target users, tasks, and environment factors.

## 2- Sample design $\Rightarrow$ prototype.

## 3- Testing and usability assessment

النموذج الأولي هو نموذج أولي للنظام الذي سيتم تطويره. ويستخدمه المصممون لاختبار النظام وتحديد المشاكل المحتملة قبل البدء في تطوير النظام النهائي.   
 - narrative overview   
 - sample design  $\checkmark$  prototype





(a) Narrative overview

**Form:** Customer Account Status  
**Users:** Customer account representatives within corporate offices  
**Task:** Assess customer account information: address, account balance, year-to-date purchases and payments, credit limit, discount percentage, and account status.  
**System:** Novell Network, Microsoft Windows  
**Environment:** Standard office environment

(b) Sample design

The screenshot shows a Windows-style application window titled "Pine Valley Furniture" with a subtitle "Customer Account Status". The window is divided into two main sections: "CUSTOMER INFORMATION" and "ACCOUNT INFORMATION". The "CUSTOMER INFORMATION" section includes fields for Customer Number (1273), Name (Contemporary Designs), Address (123 Oak St.), City (Austin), State (TX), and Zip (28384). The "ACCOUNT INFORMATION" section includes fields for YTD-Purchases (47,285.00), YTD-Payments (42,856.65), Credit Limit (10,000.00), Discount Percentage (5.0), Outstanding Balance (4,628.35), and Status (Active). On the right side of the window, there is a vertical stack of buttons: Help, Account Details, New Account, Print, Prior Screen, Next Screen, and Exit. The window also shows "Page: 1 of 2" and "Today: 11-OCT-05".

(c) Testing and usability assessment

User-Rated Perceptions (average 14 users):

|                                                   |      |
|---------------------------------------------------|------|
| consistency [1 = consistent to 7 = inconsistent]: | 1.52 |
| sufficiency [1 = sufficient to 7 = insufficient]: | 1.43 |
| accuracy [1 = accurate to 7 = inaccurate]:        | 1.67 |
| ...                                               |      |


**FIGURE 8-4**  
**A DESIGN SPECIFICATION FOR A**  
**CUSTOMER ACCOUNT STATUS FORM**  
**FOR PINE VALLEY FURNITURE**  
**(A) THE NARRATIVE OVERVIEW**  
**CONTAINING THE INFORMATION**  
**RELEVANT TO DEVELOPING AND**  
**USING THE FORM WITHIN PVF**  
**(B) A SAMPLE DESIGN OF THE**  
**PVF FORM**  
**(C) TESTING AND USABILITY**  
**ASSESSMENT INFORMATION**

**TABLE 8-2: Guidelines for Designing Forms and Reports**

| <b>Guideline</b>                      | <b>Description</b>                                                                                                                                                                                                                                                                                                                 |
|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <u>Use meaningful titles</u>          | <u>Clear and specific titles describing content and use of form or report</u><br>Revision date or code to distinguish a form or report from prior versions<br>Current date that identifies when the form or report was generated<br>Valid date that identifies on what date (or time) the data in the form or report were accurate |
| <u>Include meaningful information</u> | Only needed information displayed<br>Information provided in a usable manner without modification                                                                                                                                                                                                                                  |
| Balance the layout                    | Information balanced on the screen or page<br>Adequate spacing and margins used<br>All data and entry fields clearly labeled                                                                                                                                                                                                       |
| Design an easy navigation system      | Clearly show how to move forward and backward<br>Clearly show where you are (e.g., page 1 of 3)<br>Notify user of the last page of a multipage sequence                                                                                                                                                                            |

**Table 8.3** Methods of Highlighting

Blinking and audible tones  
Color differences  
Intensity differences  
Size differences  
Font differences  
Reverse video  
Boxing  
Underlining  
All capital letters  
Offsetting the position of nonstandard information




**Figure 8.6** A Form in Which Several Types of Highlighting Are Used

The diagram illustrates a software form titled "Pine Valley Furniture" with the subtitle "Detail Customer Account Information". The form includes a header section with "Page: 2 of 2" and "Today: 11-OCT-03". Below this, it displays "Customer Number: 1273" and "Name: Contemporary Designs". A table follows, detailing transactions with columns for DATE, PURCHASE, PAYMENT, and CURRENT BALANCE. The table contains eight rows of data, including a YTD-SUMMARY row. At the bottom, there are three buttons: "Help", "Prior Screen", and "Exit".

Annotations for highlighting techniques:

- Font size, intensity:** Points to the "Pine Valley Furniture" title.
- All capital letters:** Points to the "Customer Number: 1273" and "Name: Contemporary Designs" labels.
- Boxing:** Points to the "Help" button.
- Intensity differences:** Points to the "YTD-SUMMARY" row.

| DATE               | PURCHASE           | PAYMENT          | CURRENT BALANCE   |
|--------------------|--------------------|------------------|-------------------|
| 01-Jan-03          |                    |                  | 0.00              |
| 21-Jan-03          | (22,000.00)        |                  | (22,000.00)       |
| 21-Jan-03          |                    | 13,000.00        | (9,000.00)        |
| 02-Mar-03          | (16,000.00)        |                  | (25,000.00)       |
| 02-Mar-03          |                    | 15,500.00        | (9,500.00)        |
| 23-May-03          |                    | 5,000.00         | (4,500.00)        |
| 12-Jul-03          | (9,285.00)         |                  | (13,785.00)       |
| 12-Jul-03          |                    | 3,785.00         | (10,000.00)       |
| 21-Jul-03          |                    | 5,371.65         | (4,628.35)        |
| <b>YTD-SUMMARY</b> | <b>(47,285.00)</b> | <b>42,656.65</b> | <b>(4,628.35)</b> |






# General Formatting Guidelines for Forms and Reports (continued)

## Displaying Text

- Display text in mixed upper and lower case and use conventional punctuation
- Use double spacing if space permits. If not, place a blank line between paragraphs
- Left-justify text and leave a ragged right margin
- Do not hyphenate words between lines
- Use abbreviations and acronyms only when they are widely understood by users and are significantly shorter than the full text

ملاحظة ليس

الاختصارات .






# General Formatting Guidelines for Forms and Reports (continued)

## Displaying Tables and Lists

### n Labels

- All columns and rows should have meaningful labels  
اسماء المصفوفات والأشياء ذات معنى .
- Labels should be separated from other information by using highlighting
- Redisplay labels when the data extend beyond a single screen or page




# General Formatting Guidelines for Forms and Reports (continued)

## Displaying Tables and Lists (continued)

- n Formatting columns, rows, and text
  - w Sort in a meaningful order
  - w Place a blank line between every 5 rows in long columns
  - w Similar information displayed in multiple columns should be sorted vertically
  - w Columns should have at least two spaces between them
  - w Allow white space on printed reports for user to write notes
  - w Use a single typeface, except for emphasis
  - w Use same family of typefaces within and across displays and reports
  - w Avoid overly fancy fonts

مرتبة مثلاً حسب التاريخ





# Displaying n Form data w R p

data

- ## ١٥. مقام صابونة لليدين



**Figure 8.8a** Contrasting Two Pine Valley Furniture Forms —  
A Poorly Designed Form

No column labels

Single column for all types of data

Numeric data are left-justified

Pine Valley Furniture

CUSTOMER INFORMATION

CUSTOMER NO: 1273

NAME: CONTEMPORARY DESIGNS

ADDRESS: 123 OAK ST.

CITY-STATE-ZIP: AUSTIN, TX 28384

YTD-PURCHASE: 47,285.00

CREDIT LIMIT: 10,000.00

YTD-PAYMENTS: 42,656.65

DISCOUNT %: 5.0

PURCHASE: 21-JAN-03 22,000.00

PAYMENT: 21-JAN-03 13,000.00

PURCHASE: 02-MAR-03 16,000.00

PAYMENT: 02-MAR-03 15,500.00

PAYMENT: 23-MAY-03 5,000.00

PURCHASE: 12-JUL-03 9,285.00

PAYMENT: 12-JUL-03 3,785.00

PAYMENT: 21-SEP-03 5,371.65

STATUS: ACTIVE

**Figure 8.8b** Contrasting Two Pine Valley Furniture Forms —  
An Improved Design Form

Clear and separate column labels for each data type

Numeric data are right-justified

Pine Valley Furniture

Page: 2 of 2

Detail Customer Account Information


Today: 11-OCT-03

Customer Number: 1273

Name: Contemporary Designs

| DATE        | PURCHASE    | PAYMENT   | CURRENT BALANCE |
|-------------|-------------|-----------|-----------------|
| 01-Jan-03   |             |           | 0.00            |
| 21-Jan-03   | (22,000.00) |           | (22,000.00)     |
| 21-Jan-03   |             | 13,000.00 | (9,000.00)      |
| 02-Mar-03   | (16,000.00) |           | (25,000.00)     |
| 02-Mar-03   |             | 15,500.00 | (9,500.00)      |
| 23-May-03   |             | 5,000.00  | (4,500.00)      |
| 12-Jul-03   | (9,285.00)  |           | (13,785.00)     |
| 12-Jul-03   |             | 3,785.00  | (10,000.00)     |
| 21-Jul-03   |             | 5,371.65  | (4,628.35)      |
| YTD-SUMMARY | (47,285.00) | 42,656.65 | (4,628.35)      |

Help Prior Screen Exit






# Designing Interfaces and Dialogues



- Focus on how information is provided to and captured from users
- Dialogues are analogous to a conversation between two people
- A good human-computer interface provides a unifying structure for finding, viewing, and invoking the different components of a system






# The Process of Designing Interfaces and Dialogues

➤ User-focused Activity ⇒

تلفظ برقی المہ خدم .

- Parallels Form and Report Design Process
- Employs Prototyping Methodology
  - n Collect information ✓
  - n Construct prototype ✓
  - n Assess usability ✓
  - n Make refinements ✓




# The Process of Designing Interfaces and Dialogues (continued)

- **Deliverables**

- n Design Specifications

- w Narrative overview
    - w Sample design
    - w Testing and usability assessment






# Designing Interfaces



## Designing Layouts


- ❑ Standard formats similar to paper-based forms and reports should be used
- ❑ Screen navigation on data entry screens should be left-to-right, top-to-bottom as on paper forms



# Designing Layouts

Flexibility and consistency are primary design goals

- Users should be able to move freely between fields . سهولة بالتنقل بين الـ fields
- Data should not be permanently saved until the user explicitly requests this
- Each key and command should be assigned to one function



**TABLE 8-6: Checklist for Validating the Usability of User Interface**

**Cursor-Control Capabilities**

- Move the cursor forward to the next data field.
- Move the cursor backward to the previous data field.
- Move the cursor to the first, last, or some other designated data field.
- Move the cursor forward one character in a field.
- Move the cursor backward one character in a field.

**Editing Capabilities**

- Delete the character to the left of the cursor.
- Delete the character under the cursor.
- Delete the whole field.
- Delete data from the whole form (empty the form).


**Exit Capabilities**

- Transmit the screen to the application program.
- Move to another screen/form.
- Confirm the saving of edits or go to another screen/form.

**Help Capabilities**

- Get help on a data field.
- Get help on a full screen/form.

Source: Adapted from J. S. Dumas (1988). *Designing User Interfaces for Software*. Upper Saddle River, NJ: Prentice Hall.



# Structuring Data Entry

**TABLE 8-7: Guidelines for Structuring Data-Entry Fields**

|             |                                                                                                                                                                                                                                                                             |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Entry       | Never request data that are already online or that can be computed; for example, do not request customer data on an order form if that data can be retrieved from the database, and do not request extended prices that can be computed from quantity sold and unit prices. |
| Defaults    | Always provide default values when appropriate; for example, assume today's date for a new sales invoice, or use the standard product price unless overridden.                                                                                                              |
| Units       | Make clear the type of data units requested for entry; for example, indicate quantity in tons, dozens, pounds, etc.                                                                                                                                                         |
| Replacement | Use character replacement when appropriate; for example, allow the user to look up the value in a table or automatically fill in the value once the user enters enough significant characters.                                                                              |
| Captioning  | Always place a caption adjacent to fields; see Table 8-8 for caption options.                                                                                                                                                                                               |
| Format      | Provide formatting examples when appropriate; for example, automatically show standard embedded symbols, decimal points, credit symbol, or dollar sign.                                                                                                                     |
| Justify     | Automatically justify data entries; numbers should be right-justified and aligned on decimal points, and text should be left-justified.                                                                                                                                     |
| Help        | Provide context-sensitive help when appropriate; for example, provide a hot key, such as the F1 key, that opens the help system on an entry that is most closely related to where the cursor is on the display.                                                             |




# Controlling Data Input

- One objective of interface design is to reduce data-entry errors
- Role of systems analyst is to anticipate user errors and design features into the system's interfaces to avoid, detect, and correct data-entry mistakes

Table 8-9 describes types of data entry errors

Table 8-10 lists techniques used by system designers to detect errors



**TABLE 8-8: Display Design Options for Entering Text**


| Options              | Example                                                                                                                                        |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| Line caption         | Phone Number (    )    -                                                                                                                       |
| Drop caption         | (    )    -                                                                                                                                    |
|                      | Phone Number                                                                                                                                   |
| Boxed caption        | <div>Phone Number</div>                                                                                                                        |
| Delimited characters | (       )                                                                                                                                      |
|                      | Phone Number                                                                                                                                   |
| Check-off boxes      | Method of payment (check one)<br><input type="checkbox"/> Check<br><input type="checkbox"/> Cash<br><input type="checkbox"/> Credit card: Type |

**Table 8.9** Types of Data Errors

| Data Error          | Description                                                        |
|---------------------|--------------------------------------------------------------------|
| <u>Appending</u>    | <u>Adding additional characters to a field</u>                     |
| <u>Truncating</u>   | <u>Losing characters from a field</u>                              |
| <u>Transcribing</u> | <u>Entering invalid data into a field</u>                          |
| <u>Transposing</u>  | <u>Reversing the sequence of one or more characters in a field</u> |

**Table 8.10** Techniques Used by Systems Designers to Detect Data Errors before Saving or Transmission


| <b>Validation Test</b> | <b>Description</b>                                                                                                                                                  |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Class or composition   | Test to assure that data are of proper type (e.g., all numeric, all alphabetic, alphanumeric)                                                                       |
| Combinations           | Test to see if the value combinations of two or more data fields are appropriate or make sense (e.g., does the quantity sold make sense given the type of product?) |
| Expected values        | Test to see if data are what is expected (e.g., match with existing customer names, payment amount, etc.)                                                           |
| Missing data           | Test for existence of data items in all fields of a record (e.g., is there a quantity field on each line item of a customer order?)                                 |
| Pictures/templates     | Test to assure that data conform to a standard format (e.g., are hyphens in the right places for a student ID number?)                                              |
| Range                  | Test to assure data are within a proper range of values (e.g., is a student's grade point average between 0 and 4.0?)                                               |
| Reasonableness         | Test to assure data are reasonable for situation (e.g., pay rate for a specific type of employee)                                                                   |
| Self-checking digits   | Test where an extra digit is added to a numeric field in which its value is derived using a standard formula (see Figure 8-15)                                      |
| Size                   | Test for too few or too many characters (e.g., is social security number exactly nine digits?)                                                                      |
| Values                 | Test to make sure values come from a set of standard values (e.g., two-letter state codes)                                                                          |




# Providing Feedback



- **Status Information**
  - n Keeps users informed of what is going on in system
  - n Displaying status information is especially important if the operation takes longer than a second or two
- **Prompting Cues**
  - n Best to keep as specific as possible *ex: gives a message server is down.*
- **Error and Warning Messages**
  - n Messages should be specific and free of error codes and jargon
  - n User should be guided toward a result rather than scolded
  - n Use terms familiar to user
  - n Be consistent in format and placement of messages







**TABLE 8-11: Examples of Poor and Improved Error Messages**

**Poor Error Messages**

ERROR 56 OPENING FILE

WRONG CHOICE

DATA ENTRY ERROR

FILE CREATION ERROR


**Improved Error Messages**

The file name you typed was not found. Press F2 to list valid file names.

Please enter an option from the menu.

The prior entry contains a value outside the range of acceptable values. Press F9 for list of acceptable values.

The file name you entered already exists. Press F10 if you want to overwrite it. Press F2 if you want to save it with a new name.



# Providing Help

Place yourself in user's place when designing help

## Guidelines

- n Simplicity



- w Help messages should be short and to the point

- n Organization

- w Information in help messages should be easily absorbed by users

- n Show

- w It is useful to explicitly provide examples to users on how to perform an operation




# Providing Help (continued)

## Context-Sensitive Help

- Enables user to get field-specific help

- Users should always be returned to where they were when requesting help



**Figure 8.12** Paper-Based Form for Reporting Customer Sales Activity at Pine Valley Furniture

**PINE VALLEY FURNITURE**

Sequence and Time Information

INVOICE No. \_\_\_\_\_  
 Date: \_\_\_\_\_

*Sales Invoice*

Header

**SOLD TO:**

Customer Number: \_\_\_\_\_

Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

**SOLD BY:** \_\_\_\_\_

| Product Number | Description | Quantity Ordered | Unit Price | Total Price |
|----------------|-------------|------------------|------------|-------------|
|                |             |                  |            |             |

Body

Totals

**Customer Signature:** \_\_\_\_\_


**Date:** \_\_\_\_\_

**Total Order Amount** \_\_\_\_\_

**Less Discount** \_\_\_\_\_ % \_\_\_\_\_

**Total Amount** \_\_\_\_\_

Authorization






# Designing Dialogues


## • Dialogue

- n Sequence in which information is displayed to and obtained from a user
- Primary design guideline is consistency in sequence of actions, keystrokes, and terminology
- Three step process:
  - 1.Design the dialogue sequence
  - 2.Build a prototype
  - 3.Assess usability



# Designing the Dialogue Sequence

- Define the sequence
- Have a clear understanding of the user, task, technological, and environmental characteristics
- Dialogue Diagram
  - A formal method for designing and representing human-computer dialogues using box and line diagrams
  - Consists of a box with three sections
    - Top:** Unique display reference number used by other displays for referencing dialogue
    - Middle:** Contains the name or description of the display
    - Bottom:** Contains display reference numbers that can be accessed from the current display




**TABLE 8-14: Guidelines for the Design of Human-Computer Dialogues**

| <b>Guideline</b>       | <b>Explanation</b>                                                                                                                                                                                                                                                         |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Consistency            | Dialogues should be consistent in sequence of actions, keystrokes, and terminology (e.g., use the same labels for the same operations on all screens and the same location of the same information on all displays).                                                       |
| Shortcuts and sequence | Allow advanced users to take shortcuts using special keys (e.g., CTRL-C to copy highlighted text). A natural sequence of steps should be followed (e.g., enter first name before last name, if appropriate).                                                               |
| Feedback               | Feedback should be provided for every user action (e.g., confirm that a record has been added, rather than simply putting another blank form on the screen).                                                                                                               |
| Closure                | Dialogues should be logically grouped and have a beginning, middle, and end (e.g., the last in the sequence of screens should indicate that there are no more screens).                                                                                                    |
| Error handling         | All errors should be detected and reported; suggestions on how to proceed should be made (e.g., suggest why such errors occur and what the user can do to correct the error). Synonyms for certain responses should be accepted (e.g., accept either "t," "T," or "TRUE"). |
| Reversal               | Dialogues should, when possible, allow the user to reverse actions (e.g., undo a deletion); data should not be deleted without confirmation (e.g., display all the data for a record the user has indicated is to be deleted).                                             |
| Control                | Dialogues should make the user (especially an experienced user) feel in control of the system (e.g., provide a consistent response time at a pace acceptable to the user).                                                                                                 |
| Ease                   | Dialogues should provide simple means for users to enter information and navigate between screens (e.g., provide means to move forward, backward, and to specific screens, such as first and last).                                                                        |

Source: Adapted from B. Shneiderman (2002). *Designing the User Interface: Strategies for Effective Human-Computer Interaction, Third Edition*. Reading, MA: Addison-Wesley.

**Figure 8.18** A dialogue diagramming box has three sections.








# Designing Dialogues: Building Prototypes and Assessing Usability

Activities often are optional

Task is simplified by using graphical  
design environment




**Figure 8.20** Dialogue Diagram for the Customer Information System at Pine Valley Furniture



# PVF WebStore: Designing the Human Interface at Pine Valley Furniture

## Design Guidelines

- n Navigation via cookie crumbs
  - w A technique that uses a series of tabs on a Web page to show users where they are and where they have been in the site
  - w Tabs are hyperlinks to allow users to move backward easily within the site
  - w Two important purposes:
    - n Allows users to navigate to a point previously visited
    - n Shows users where they have been and how far they have gone from point of entry into site




# Electronic Commerce Application : Design Guidelines

## Lightweight Graphics

- n The use of small images to allow a Web page to be displayed more quickly

## Forms and Data Integrity

- n All forms that record information should be clearly labeled and provide room for input
- n Clear examples of input should be provided to reduce data errors
- n Site must clearly designate which fields are required, which are optional, and which have a range of values






# Electronic Commerce Application : Design Guidelines (continued)

## Template-based HTML

- n Templates to display and process common attributes of higher-level, more abstract items
- n Creates an interface that is very easy to maintain



# Summary


Designing Forms and Reports

General Guidelines for Designing Forms and Reports

Formatting Text, Tables and Lists



Design Guidelines for Interfaces

- n Layout design
- n Structuring data-entry fields
- n Providing feedback
- n Designing help



# Summary (continued)

Human-Computer Dialogue Design  
Interface Design Guidelines Unique to the  
Internet



# **Essentials of Systems Analysis and Design Third Edition**

**Joseph S. Valacich**

**Joey F. George**

**Jeffrey A. Hoffer**


## **Chapter 10**

### **Systems Implementation and Operation**




# Learning Objectives

- ✓ Describe the process of <sup>implementation</sup> coding, testing and converting an organizational information system.
- ✓ Discuss four installation strategies.
  - ✓ Direct
  - ✓ Parallel ⇒ old with new.
  - ✓ Single location ⇒ install it on 1 device.
  - ✓ Phased installation ⇒ don't download all at once. but component by component.
- ✓ Describe the deliverables for documenting the system and for training and supporting the users.
- ✓ Compare the many modes available for organizational system training, including self-training and electronic performance support systems.



# Learning Objectives (continued)

- ✓ Discuss the issues of providing support to end users.
- ✓ Discuss system implementation failure.
- ✓ Explain four types of maintenance.
- ✓ Describe several factors that influence the cost of maintaining an information system.




# System Implementation and Operation

## Seven major activities

- n Coding → translation of the algorithm into one of the programming languages.
- n Testing
- n Installation
- n Documentation → After installation because there is training.
- n Training
- n Support
- n Maintenance

## Purpose

- 1 To convert final physical system specifications into working and reliable software <sup>output of the design.</sup> into code <sub>testing and free from errors.</sub>
- 2 To document work that has been done
- 3 To provide help for current and future users → training, support and maintenance.





# The Processes of Coding, Testing and Installation

## Coding

*Design output  $\Rightarrow$  Algorithm*


- n Physical design specifications are turned into working computer code

## Testing

- n Tests are performed using various strategies
- n Testing can be performed in parallel with coding

## Installation

- n Process during which the current system is replaced by the new system



# The Processes of Coding, Testing, and Installation: Deliverables

Action

Deliverable


Coding  $\Rightarrow$  code  
Program documentation.

Testing  $\Rightarrow$  Test scenarios and test data.  
Results of program and system testing.

Installation  $\Rightarrow$  User guides  
User training plans.  
Installation and conversion plans.

How testing works:-

- comparing actual result with the expected results.
- if same, then system is free from errors




# The Processes of Documenting the System, Training Users, and Supporting Users

## Two audiences for documentation

- n The information systems personnel who will maintain the system throughout its productive life
- n The people who will use the system as part of their daily lives

## Deliverables

- n Documentation
  - w System documentation
  - w User documentation
- n User training plan
  - w Classes
  - w Tutorials
- n User training modules
  - w Training materials
  - w Computer-based training aids





# The Processes of Documenting the System, Training Users, and Supporting Users (continued)


## Deliverables (continued)

- n User support plan

  - wHelp desk

  - wOn-line help

  - wBulletin boards and other support mechanisms




# The Process of Maintaining Information Systems

# Maintenance

Process of returning to the beginning of the SDLC and repeating development steps focusing on system change until the change is implemented


Four major activities:

1. Obtaining maintenance requests
2. Transforming requests into changes
3. Designing changes
4. Implementing changes






**Figure 10.2** Maintenance Activities in Relation to the SDLC



# The Process of Maintaining Information Systems (continued)


## Deliverables and Outcomes

n Development of a new version of the software, new versions of all design documents and training materials created or modified during the maintenance effort



# Software Application Testing

- A test plan is developed during the analysis phase
- During the design phase, a unit test plan and a system test plan are developed
- The actual testing is done during implementation
- Test plans provide improved communication among all parties involved in testing
  - n Serve as checklists



# Software Application Testing

## Types of Testing

### Inspection

n A testing technique in which participants examine program code for predictable language-specific errors

– اكتشاف أخطاء البرمجة بالمرور بسبب اللغة.


### Walkthrough

n A peer group review of any product created during the systems development process; also called a structured walkthrough

### Desk Checking

n A testing technique in which the program code is sequentially executed manually by the reviewer

↳ Like tracing and finding the output





# Software Application Testing

## Types of Testing (continued)


### Unit Testing

- n Each module is tested alone in an attempt to discover any errors in its code, also called module testing

### Integration Testing

- n The process of bringing together all of the modules that a program comprises for testing purposes. Modules are typically integrated in a top-down, incremental fashion

↳ From the main Unit (most imp. unit)



# Software Application Testing


## Types of Testing (continued)

### System Testing

- n The bringing together of all the programs that a system comprises for testing purposes. Programs are typically integrated in a top-down, incremental fashion

### Stub Testing

- n A technique used in testing, especially where modules are written and tested in a top-down fashion, where a few lines of code are used to substitute for subordinate modules



# Software Application Testing

## The Testing Process

1- The purpose of the testing is confirming that the system satisfies requirements

2- Testing must be planned


### Test Case

■ A specific scenario of transactions, queries or navigation paths that represent a typical, critical or abnormal use of the system

■ Test cases and results should be thoroughly documented so they can be repeated for each revision of an application

Always assume that the requirements are correct, and the testing is for assuming that the system meets the requirements

↳ alternatives.





**Figure 10.4** Test Case Description and Summary Form

**Pine Valley Furniture Company**  
*Test Case Description and Summary*

Test Case Number: \_\_\_\_\_ Date: \_\_\_\_\_  
Test Case Description: \_\_\_\_\_


Program/Module Name: \_\_\_\_\_  
Testing State: \_\_\_\_\_  
Test Case Prepared By: \_\_\_\_\_  
Test Administrator: \_\_\_\_\_  
Description of Test Data: \_\_\_\_\_

Expected Results: \_\_\_\_\_  
Actual Results: \_\_\_\_\_

Explanation of Differences between Actual and Expected Results: \_\_\_\_\_

Suggestions for Next Steps: \_\_\_\_\_

*the most important which determines if the testing passed or failed*






# Software Application Testing: Acceptance Testing by Users

The process whereby actual users test a completed information system, the end result of which is the users' acceptance of it

## Alpha Testing

- n User testing of a completed information system using simulated data
- e Recovery testing
  - w Forces the software (or environment) to fail in order to verify that recovery is properly performed
- n Security testing
  - w Verifies that protection mechanisms built into the system will protect it from improper penetration
- n Stress testing
  - w Tries to break the system



# Software Application Testing: Acceptance Testing by Users (continued)


## Alpha Testing (continued)

- n **Performance testing**

- w Determines how the system performs on the range of possible environments in which it may be used

## Beta Testing

- n User testing of a completed information system using real data in the real user environment



# Installation

The organizational process of changing over from the current information system to a new one


## Four approaches

### n **Direct Installation**

w Changing over from the old information system to a new one by turning off the old system when the new one is turned on

### n **Parallel Installation**

w Running the old information system and the new one at the same time until management decides the old system can be turned off





# Installation (continued)


## n Single location installation

w Trying out an information system at one site and using the experience to decide if and how the new system should be deployed throughout the organization


## n Phased Installation

w Changing from the old information system to the new one incrementally, starting with one or a few functional components and then gradually extending the installation to cover the whole new system

السيستم القديم يتفكك  
يتم بتثبيت ال module 1  
القديمة ويحلها بدلها  
اد new module 1




**Figure 10.5a** Comparison of Installation Strategies — Direct Installation




*Very important: draw the Installation.*


**Figure 10.5b** Comparison of Installation Strategies — Parallel Installation



**Figure 10.5c** Comparison of Installation Strategies — Single Location Installation (with Direct Installation at Each Location)



**Figure 10.5d** Comparison of Installation Strategies — Phased Installation



# Planning Installation



## Considerations


- n Data conversion

  - wError correction

  - wLoading from current system

- n Planned system shutdown


- n Business cycle of organization



# Documenting the System

## System Documentation

- n Detailed information about a system's design specifications, its internal workings, and its functionality
- n Internal documentation
  - w System documentation that is part of the program source code or is generated at compile time
- n External documentation
  - w System documentation that includes the outcome of structured diagramming techniques such as data-flow and entity-relationship diagrams





# Documenting the System (continued)




## User Documentation

- n Written, or other visual information, about an application system, how it works, and how to use it

## Preparing User Documentation

- n Traditional source has been information systems department
- n Application-oriented documentation is now often supplied by vendors and users themselves






# Training Information System Users

## Potential Training Topics


- n Use of the system
- n General computer concepts
- n Information system concepts
- n Organizational concepts
- n System management
- n System installation



# Training Information System Users (continued)


## Training Methods

- n Resident expert
- n Computer-aided instruction
- n Formal courses
- n Software help components
- n Tutorials
- n Interactive training manuals
- n External sources, such as vendors



**Table 10.5** Types and Frequencies of Training Methods


| <b>Method of Training</b>                                                            | <b>Relative Frequency</b> |
|--------------------------------------------------------------------------------------|---------------------------|
| Resident expert                                                                      | 51                        |
| Computer-aided instruction                                                           | 12                        |
| Formal courses—several people taught at the same time                                | 10                        |
| Software help components                                                             | 10                        |
| Tutorials—one person taught at a time                                                | 7                         |
| Interactive training manuals—combination of tutorials and computer-aided instruction | 5                         |
| External sources, such as vendors                                                    | 5                         |



# Training Information System Users (continued)

Electronic performance support system  
(EPSS)

n Component of a software package or  
application in which training and  
educational information is embedded






# Supporting Information System Users

Support is extremely important to users  
n J.D. Power and Associates survey found  
user support to be number one criterion  
contributing to user satisfaction with  
personal computing

Most organizations provide support by  
two means:

- n Information center
- n Help desk




# Supporting Information System Users Information Center

An organizational unit whose mission is to support users in exploiting information technology

Staff might perform the following tasks:


- n Install new hardware or software and set up user accounts
- n Consult with users writing programs in fourth-generation languages
- n Extract data from organizational databases onto personal computers
- n Answer basic on-demand questions
- n Provide a demonstration site for viewing hardware and software
- n Work with users to submit system change requests



# Supporting Information System Users


## Help Desk

A single point of contact for all user inquiries and problems about a particular information system or for all users in a particular department






# Why Implementation Sometimes Fails



Two conditions necessary for a successful implementation

- n Management support of the system under development
- n Involvement of users in the development process



# Why Implementation Sometimes Fails (continued)

Insights about implementation process


n Risk

n Commitment to the project

n Commitment to change

n Extent of project definition and planning


n Realistic user expectations



# Why Implementation Sometimes Fails (continued)

## Implementation success factors

- n Extent to which system is used
- n System ease of use and reliability
- n User's satisfaction with system
- n User demographics, such as age and degree of computer experience





# Project Closedown



Evaluate team


- Reassign members to other projects

Notify all affected parties that the development project is ending and that you are switching to operation and maintenance mode

Conduct post project reviews

Close out customer contract

- Formal signoff



# Conducting System Maintenance:

## Types of Maintenance

### Corrective maintenance

- n Changes made to a system to repair flaws in its design, coding, or implementation

### Adaptive maintenance


- n Changes made to a system to evolve its functionality to changing business needs or technologies

### Perfective maintenance

- n Changes made to a system to add new features or to improve performance

### Preventive maintenance

- n Changes made to a system to avoid possible future problems




# Conducting System Maintenance: The Cost of Maintenance

Many organizations allocate as much as 60 to 80 percent of information systems budget to maintenance

Factors that influence system maintainability:

- n Latent defects
- n Number of customers for a given system
- n Quality of system documentation
- n Maintenance personnel
- n Tools
- n Well-structured programs





# Conducting System Maintenance Measures of Effectiveness


Number of Failures

Time between Each Failure

Type of Failure

Mean Time between Failures (MTBF)

n A measurement of error occurrences that can be tracked over time to indicate the quality of a system





# Controlling Maintenance Requests




Determine type of request


- n Error
- n Adaptation
- n Enhancement




Figure 10-9 shows a flowchart for a request procedure



**Figure 10.9** Flowchart Showing How to Control Maintenance Request



Source: Adapted from Pressman, 1992.



# Configuration Management

The process of assuring that only authorized changes are made to the system

## Baseline Modules


- n Software modules that have been tested, documented, and approved to be included in the most recently created version of a system

## System Librarian

- n A person responsible for controlling the checking out and checking in of baseline modules when a system is being developed or maintained

## Build Routines

- n Guidelines that list the instructions to construct an executable system from the baseline source code



# PVF WebStore: Systems Implementation and Operation

System implementation and operation of an Internet-based electronic commerce project is no different than other projects


## Develop Test Cases

- n Simple functionality
- n Multiple functionality
- n Function chains
- n Elective functions
- n Emergency/crisis

## Bug Tracking and System Evolution

## Alpha and Beta Testing the WebStore

## WebStore Installation






# Summary



Process of coding, testing, and converting  
an organizational information system

Four installation strategies:

- n Direct
- n Parallel
- n Single location
- n Phased installation



# Summary (continued)



Documentation


n System

n User

User Training

Providing Support for End Users

Systems Implementation Failures



# Summary (continued)

Maintenance

- n Corrective


- n Adaptive

- n Perfective

- n Preventive

Cost of Maintenance

Measuring Effectiveness of Maintenance





# Summary (continued)



Controlling Maintenance Requests  
Configuration Management  
Internet Development

